Claims Amendment

1 ,	1.	(Currently Amended) In a computer system having a display device including	
2	a display surface controllable by an operating system, a method of operation		
3	comprising:		
4		reserving a first portion of the operating system controllable display surface	
5	for exclusive use by a first program; and		
6		rendering contents in said reserved first portion of the operating system	
7	controllable display surface, by said first program, excluding all other programs from		
8	using said reserved first portion of operating system controllable display surface.		
1	2.	(Original) The method of claim 1, wherein said reserving comprises	
2	requesting a window manager to switch to a display mode having a smaller pixel		
3	configuration.		
1	3.	(Original) The method of claim 2, wherein said reserving further comprises	
2	aborting a responsive request by the window manager to a display device driver to		
3	configure a display hardware to said smaller pixel configuration.		
1	4.	(Original) The method of claim 2, wherein said reserving further comprises	
2	pre-alerting an exclusive-use display area manager of said display mode switch		
3	reque	request to said window manager.	
1	5.	(Original) The method of claim 1, wherein	
2		the method further comprises determining if a first event has occurred; and	
3		said reserving is performed only if the first event is determined to have	
4	occurred.		

- 1 6. (Currently amended) The method of claim 5, wherein the method further comprises
- determining if a second event has occurred; and
- 4 unreserving said first portion of the <u>operating system controllable</u> display
- 5 surface for exclusive use by said first program if the second event is determined to
- 6 have occurred.
- 1 7. (Original) The method of claim 6, wherein said unreserving comprises
- 2 requesting a window manager to switch to a display mode having a larger pixel
- 3 configuration.
- 1 8. (Original) The method of claim 7, wherein said unreserving further comprises
- 2 aborting a responsive request by the window manager to a display device driver to
- 3 configure a display hardware to said larger pixel configuration.
- 1 9. (Original) The method of claim 7, wherein said reserving further comprises
- 2 pre-alerting an exclusive-use display area manager of said display mode switch
- 3 request to said window manager.
- 1 10. (Currently Amended) The method of claim 1, wherein the method further
- 2 comprises
- monitoring for a request by an application to change a display mode to a full
- 4 screen mode; and
- notifying said first program to temporarily stop rendering contents in said
- 6 reserved first portion of the <u>operating system controllable</u> display surface.

- 1 11. (Currently Amended) The method of claim 10, wherein the method further comprises
- monitoring for a request by an application to change a display mode from a full screen mode to a normal mode; and
- notifying said first program to resume rendering contents in said reserved first portion of the operating system controllable display surface.
- 1 12. (Original) The method of claim 1, wherein the method further comprises
 2 monitoring for a request by an application to change a display mode to a full
 3 screen mode; and
 - upon detecting such as request, intercepting all page flipping calls by said application, and forwarding each of said page flipping calls onward only after said first program has updated a back buffer.

4

5

6

6

7

8

- 1 13. (Currently Amended) The method of claim 12, wherein the method further
 2 comprises interacting with said full screen mode requesting application to maintain
 3 said reserved first portion of the operating system controllable display surface
- 1 14. (Currently Amended) In a computer system having a display device including
 2 a display surface controllable by an operating system, a method of operation
 3 comprising:
- pre-alerting an exclusive-use display area manager of a display mode switch request to a window manager;
 - submitting said display mode switch request to said window manager; and aborting a responsive request by the window manager to a display device driver to configure a display hardware in accordance with said display mode switch

- request, to effectuate reservation of an area of the operating system controllable
 display surface for exclusive use by a program.
- 1 15. (Original) The method of claim 14, wherein said display mode switch request
- is a request to switch to a selected one of a smaller and a larger pixel configuration.
- 1 16. (Currently Amended) In a computer system having a display device including
- a display surface controllable by an operating system, a method of operation
- 3 comprising:

5

- 4 determining if a first event has occurred;
 - operating the display device with the operating system controllable display
- 6 surface having one or more exclusive use display areas whose contents are
- 7 persistently visible if the first event is determined to have occurred;
- 8 determining if a second event has occurred; and
- operating the display device with the operating system controllable display
- surface having no exclusive use display area whose contents are persistently visible
- if the second event is determined to have occurred.
- 1 17. (Currently Amended) The method of claim 16, wherein said operating of the
- 2 display device with the operating system controllable display surface having one or
- 3 more exclusive use display areas whose contents are persistently visible further
- 4 comprises accommodating an application that operates in a full screen mode.
- 1 18. (Original) The method of claim 17, wherein said accommodating comprises
- temporarily suspending rendering contents into said exclusive use display areas.

- 1 19. (Original) The method of claim 17, wherein said accommodating comprises
- 2 interacting with said application that operates in a full screen mode to at least
- 3 partially maintain said exclusive use display areas.
- 1 20. (Currently Amended) In a computer system having a display device including
- a display surface controllable by an operating system, a method of operation
- 3 comprising:
- 4 intercepting a page flipping call by an application that operates in a full screen
- 5 mode;
- 6 updating locations of a back buffer unused by said application with contents
- 7 to be persistently visible in an area of the operating system controllable display
- 8 surface reserved for the exclusive use of the application; and
- 9 forwarding said page flipping call onward after said updating.
- 1 21. (Original) An article of manufacture comprising:
- a recordable medium having stored thereon a plurality of programming
- 3 instructions to be executed by a processor, wherein when executed, perform the
- 4 operations set forth in claim 1.
- 1 22. (Original) An article of manufacture comprising:
- a recordable medium having stored thereon a plurality of programming
- instructions to be executed by a processor, wherein when executed, perform the
- 4 operations set forth in claim 14.
- 1 23. (Original) An article of manufacture comprising:

- a recordable medium having stored thereon a plurality of programming
- 3 instructions to be executed by a processor, wherein when executed, perform the
- 4 operations set forth in claim 16.
- 1 24. (Original) An article of manufacture comprising:
- a recordable medium having stored thereon a plurality of programming
- instructions to be executed by a processor, wherein when executed, perform the
- 4 operations set forth in claim 20.
- 1 25. (Currently Amended) An apparatus comprising:
- a display device having a display surface controllable by an operating system;
- a storage medium having stored therein a plurality of programming
- 4 instructions designed to implement a display device driver to render displays on said
- 5 operating system controllable display surface of said display device, and an
- 6 exclusive use manager to cooperate with said display device driver to facilitate
- 7 exclusive use of at least a first sub-portion of said operating system controllable
- 8 display surface for rendering persistently visible contents; and
- a processor coupled to the display device and the storage medium to execute
- the programming instructions.
- 1 26. (Original) The apparatus of claim 25, wherein the exclusive use manager is
- 2 equipped to receive an alert of a display mode change request from a window
- 3 manager to said display device driver, and in response, upon intercepting said
- display mode change request, aborting said display mode change request.
- 1 27. (Original) The apparatus of claim 25, wherein the exclusive use manager is
- 2 equipped to monitor for a display mode change request to enter a full screen mode

- 3 of operation from an application, and in response, notifying applications associated
- 4 with said exclusive use display areas to temporarily suspend rendering contents into
- 5 said exclusive use display areas.
- 1 28. (Original) The apparatus of claim 25, wherein the exclusive use manager is
- 2 equipped to monitor for a display mode change request to enter a full screen mode
- 3 of operation from an application, and interact with said application to at least
- 4 partially maintain said exclusive use display areas.
- 1 29. (Original) The apparatus of claim 28, wherein the exclusive use manager is
- 2 further equipped to intercept page flipping calls by said application, and facilitating
- 3 rendering of contents into said exclusive use display areas by applications
- 4 associated with the exclusive use display areas prior to forwarding the intercepted
- 5 page flipping calls.
- 1 30. (Withdrawn) An operating system comprising:
- a display device driver to render displays on a display surface of a display
- 3 device; and
- an exclusive use manager to cooperate with said display device driver to
- 5 facilitate exclusive use of at least a first sub-portion of said display surface for
- 6 rendering persistently visible contents.
- 1 31. (Withdrawn) The operating system of claim 30, wherein the exclusive use
- 2 manager is equipped to receive an alert of a display mode change request from a
- window manager to said display device driver, and in response, upon intercepting
- 4 said display mode change request, aborting said display mode change request.

- 1 32. (Withdrawn) The operating system of claim 30, wherein the exclusive use
- 2 manager is equipped to monitor for a display mode change request to enter a full
- 3 screen mode of operation from an application, and in response, notifying
- 4 applications associated with said exclusive use display areas to temporarily suspend
- 5 rendering contents into said exclusive use display areas.
- 1 33. (Withdrawn) The operating system of claim 30, wherein the exclusive use
- 2 manager is equipped to monitor for a display mode change request to enter a full
- 3 screen mode of operation from an application, and interact with said application to at
- 4 least partially maintain said exclusive use display areas.
- 1 34. (Withdrawn) The operating system of claim 30, wherein the exclusive use
- 2 manager is further equipped to intercept page flipping calls by said application, and
- 3 facilitating rendering of contents into said exclusive use display areas by
- 4 applications associated with the exclusive use display areas prior to forwarding the
- 5 intercepted page flipping calls.